

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	429	(translat\$3 or transformed or transforming or transformation or conver\$4 or map\$4) with Java with (byte adj code or bytecode) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:21
L4	327	(translat\$3 or transformed or transforming or transformation or conver\$4 or map\$4) with (application or high adj level) adj10 (low adj level or routine or subroutine or call) with function and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:16
L5	359	(translat\$3 or transformed or transforming or transformation or conver\$4 or map\$4) with Java adj10 (byte adj code or bytecode) and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:39
L6	282	5 and (JVM or java adj virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:17
L7	117	6 and (translat\$3 or transformed or transforming or transformation or conver\$4 or map\$4) with Java adj10 (byte adj code or bytecode) with (JVM or java adj virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:51
L8	2	7 and J2EE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:29
L9	6	7 and execut\$3 near20 (external or remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:18
L10	2	("5991802").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 16:17

EAST Search History

L11	7	7 and (remote adj procedur\$2 adj call or RPC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:27
L12	7	7 and remote\$2 near5 (debug\$4 or test\$3 or diagnostic or benchmark\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:41
L13	0	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:16
L14	11	4 and (JVM or java adj virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 13:32
L15	9	7 and remote\$2 near5 (process\$3 or execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:42
L16	33	8 or 9 or 11 or 12 or 14 or 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 13:44
L18	12	16 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 13:44
L21	288	adapter and (connector or driver or API) and (JVM or java adj virtual adj machine) and Java with (byte adj code or bytecode) and (@AD < "20010601" or @RLAD < "20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:07
L22	0	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:08

EAST Search History

L23	1	4 and 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:09
L26	9	(Sun adj microsystems).as. and servelet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:16
L27	31	(international adj business).as. and servelet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:17
L30	0	(defin\$3 or definition) near10 high adj level adj function and (translat\$3 or transformed or transforming or transformation or conver\$4 or map\$4) with low adj level adj (function or call) and (@AD < "20010601" or @RLAD <"20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:23
L31	9	(defin\$3 or definition) near10 (application or high adj level adj function) and (translat\$3 or transformed or transforming or transformation or conver\$4 or map\$4) with low adj level adj (function or call or routine or subroutine) and (@AD < "20010601" or @RLAD <"20010601")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 16:43